

# PRODUCT TEST REPORT



Report No. :  
Product : HORN SPEAKER  
Model : HS-20  
Purpose of Use :  
Report Date :

## Test Result

### 1) Common Information

	Criteria	Test Result		
		Sample 1	Sample 2	Sample 3
Materials	Fine	Satisfied	Satisfied	Satisfied
Structure	Fine	Satisfied	Satisfied	Satisfied
Parts & Components	Fine	Satisfied	Satisfied	Satisfied

### 2) Electrical Information

TESTING CONTENT	SPECIFICATION	Test Result		
		Sample 1	Sample 2	Sample 3
Rated Output Power	20W	20	20	20
Frequency Response	380Hz ~ 8KHz	Satisfied	Satisfied	Satisfied
Impedance	500Ω	496	501	498
Sound Pressure	106dB	106	107	109
Weight	1.6kg	Satisfied	Satisfied	Satisfied
Dimension	212(F) × 229(D)	Satisfied	Satisfied	Satisfied

- ※ This is to certify that sample submitted by client above has been tested.
- ※ This report should only be used for the purpose of use above and is valid for 90 days from date of issue.

INSPECTED BY Y. S. KIM

CHECKED BY J. G. WON

APPROVED BY Y. S. LEE

**PASCOM Co., Ltd. Quality Management Department**

1333-32, Gyeongchung-daero, Chowol-eup, Gwangju-si, Gyeonggi-do, Republic of Korea

# PRODUCT TEST REPORT



Report No. :  
Product : HORN SPEAKER  
Model : HS-30  
Purpose of Use :  
Report Date :

## Test Result

### 1) Common Information

	Criteria	Test Result		
		Sample 1	Sample 2	Sample 3
Materials	Fine	Satisfied	Satisfied	Satisfied
Structure	Fine	Satisfied	Satisfied	Satisfied
Parts & Components	Fine	Satisfied	Satisfied	Satisfied

### 2) Electrical Information

TESTING CONTENT	SPECIFICATION	Test Result		
		Sample 1	Sample 2	Sample 3
Rated Output Power	30W	30	30	30
Frequency Response	380Hz ~ 6.5KHz	Satisfied	Satisfied	Satisfied
Impedance	333Ω	322	325	335
Sound Pressure	106dB	106	106	109
Weight	2.5kg	Satisfied	Satisfied	Satisfied
Dimension	246(F) × 280(D)	Satisfied	Satisfied	Satisfied

- ※ This is to certify that sample submitted by client above has been tested.
- ※ This report should only be used for the purpose of use above and is valid for 90 days from date of issue.

INSPECTED BY *Y. S. KIM*

CHECKED BY *J. G. WON*

APPROVED BY *Y. S. LEE*

**PASCOM Co., Ltd. Quality Management Department**

1333-32, Gyeongchung-daero, Chowol-eup, Gwangju-si, Gyeonggi-do, Republic of Korea

# PRODUCT TEST REPORT



Report No. :  
Product : HORN SPEAKER  
Model : HS-50  
Purpose of Use :  
Report Date :

## Test Result

### 1) Common Information

	Criteria	Test Result		
		Sample 1	Sample 2	Sample 3
Materials	Fine	Satisfied	Satisfied	Satisfied
Structure	Fine	Satisfied	Satisfied	Satisfied
Parts & Components	Fine	Satisfied	Satisfied	Satisfied

### 2) Electrical Information

TESTING CONTENT	SPECIFICATION	Test Result		
		Sample 1	Sample 2	Sample 3
Rated Output Power	50W	50	50	50
Frequency Response	380Hz ~ 6.5KHz	Satisfied	Satisfied	Satisfied
Impedance	200Ω	201	199	203
Sound Pressure	106dB	106	106	107
Weight	3.3kg	Satisfied	Satisfied	Satisfied
Dimension	319(F) × 336.4(D)	Satisfied	Satisfied	Satisfied

- ※ This is to certify that sample submitted by client above has been tested.
- ※ This report should only be used for the purpose of use above and is valid for 90 days from date of issue.

INSPECTED BY *Y. S. KIM*

CHECKED BY *J. G. WON*

APPROVED BY *Y. S. LEE*

**PASCOM Co., Ltd. Quality Management Department**

1333-32, Gyeongchung-daero, Chowol-eup, Gwangju-si, Gyeonggi-do, Republic of Korea